

 Test Report
 No.: SHHL2104015019PL
 Date: APR. 22, 2021
 Page: 1 of 11

BESTWAY (HONGKONG) INTERNATIONAL LTD.

SUITE 713, 7/ FLOOR, EAST WING, TSIM SHA TSUI CENTRE, 66 MODY ROAD, KOWLOON, HONGKONG

| Sample Description | : BLUE RECTANGULAR POOL |
|-----------------------|--|
| Style/ Item No. | : 54009 |
| | ***** |
| Sample Receiving Date | : APR. 07, 2021 |
| Testing Period | : APR. 12, 2021 TO APR. 20, 2021 |
| Testing Location | : 3RD. BUILDING, LANE 3999, XIUPU RD., PUDONG DISTRICT, SHANGHAI, CHINA |
| Test Requested | : BS EN 16927: 2017 MINI-POOLS — SPECIFIC REQUIREMENTS INCLUDING SAFETY AND TEST METHODS FOR MINI-POOLS |
| Conclusion | : THE SUBMITTED SAMPLE MET THE TEST REQUIREMENT |

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Yomoro Gu Authorized Signatory



nless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer verteral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tention is drawn to the limitation of lability, indemnification and jurisdiction issues defined therein. Any holder of this document dvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits o itent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a anaccion from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced coept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content o usuals shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Itentions To check the authenticity of testing /imspection report & certificate, please contact us at telephone: (86-75) 8307 1443 cenall: CD Deceker/Warse com

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86

t (86) 400 960 9661 f (86–21) 6115 6899 t (86) 400 960 9661 f (86–21) 6115 6899

6899 www.sgsgroup.com.cn 6899 e sgs.china@sgs.com



No.: SHHL2104015019PL

Date: APR. 22, 2021

Page: 2 of 11

Test Conducted:

1. BS EN 16927: 2017 Mini-pools — Specific requirements including safety and test methods

<u>for mini-poo</u>ls

Sample size: 1 piece

| Clause | Test Method / Requirement | Result | Rating | |
|--------------------|---|-----------------|--------|--|
| 4. General requir | 4. General requirements and test methods | | | |
| 4.1 General | When installed according to the installation and | 1 | Pass | |
| | maintenance manual and during use, the mini-pool shall | | | |
| | meet the requirements of this document. | | | |
| | When a membrane is used as a watertight system, it is | | | |
| | not mandatory to have a minimum thickness, as long as | | | |
| | the mini-pools structure passes the performance | | | |
| | requirements specified in 4.2 to 4.5. | | | |
| | All the tests are performed on the same sample. | | | |
| 4.2 Mini-pools wit | h frame-supported walls and rigid walls | | | |
| 4.2.1 | On completion of the test defined in 4.2.1.2, the mini-pool | 1 | N/A | |
| Resistance to | shall not collapse or suffer any permanent deformation | | | |
| horizontal | affecting its structural integrity (e.g. creating sharp edges, | | | |
| deformation | visual breakings, etc.). | | | |
| 4.2.2 | On completion of the test defined in 4.2.2.2, the mini-pool | 1 | N/A | |
| Resistance to | shall not collapse or suffer any permanent deformation | | | |
| vertical | affecting its structural integrity (e.g. creating sharp edges, | | | |
| deformation | visual breakings, etc.). | | | |
| 4.2.3 Bursting | The bursting strength test defined in 4.2.3.3 is performed | / | N/A | |
| strength | after carrying out the resistance tests for horizontal | | | |
| | deformation (4.2.1.2) and vertical deformation (4.2.2.2). | | | |
| | On completion of the test defined in 4.2.3.3, the pool shall | | | |
| | not burst and shall not suffer any permanent deformation | | | |
| | affecting the product's resistance. | | | |
| 4.3 Mini-pools wit | h self-stabilizing or inflatable walls | | | |
| 4.3.1 Capacity | On completion of the tests described in 4.3.1.2 and in | Not collapse or | Pass | |
| to stop an | 4.3.1.3, the mini-pool shall not collapse and lose its water | lose its water | | |
| overflow | retention capability. | retention | | |
| | | capability | | |
| 4.3.2 Inflatable | All of the air inlets provided for inflation shall be fitted with | 4 mm | Pass | |
| compartments | caps permanently secured on an accessible part of each | | | |
| | inflatable compartment of the mini-pool. Once this part is | | | |
| | inflated, the caps located inside the mini-pool shall be able | | | |
| | to be pushed back inside the upper part so that they do | | | |
| | not protrude from the surface by more than 5 mm. | | | |
| | The caps of the inflation ports should not be able to | | | |
| | become detached and should be protected against | | | |
| | accidental removal. The valves shall be fitted in order to | | | |
| | prevent an instantaneous deflation. | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document. Tonis document cannot be reproduced accept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offonders may be prosecuted to the fulleot schort of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, adv transac

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 t (86) 400 960 9661 f (86-21) 6115 6899



No.: SHHL2104015019PL

Date: APR. 22, 2021

2, 2021 Page: 3 of 11

| Clause | Test Method / Requirement | Result | Rating |
|--|---|---|--------|
| 4.3.3 Stability in the event of deflation of the upper tube of mini-pool with self-stabilizing walls | On completion of the test described in 4.3.3.2, the minipool with self-stabilizing walls shall not collapse. | 1 | Pass |
| 4.3.4 Bursting strength | On completion of the test defined in 4.3.4.2, the mini-pool with self-stabilizing walls shall not burst and shall not present any permanent deformation affecting the product's resistance. | / | Pass |
| 4.4 Tolerances | The indicated dimensions and measurements are given with a tolerance of ± 3 % (unless otherwise indicated). Mini-pools with self-stabilizing or inflatable walls commonly have larger acceptable tolerances. | Claim: L x W x H: 3.05m x 1.83m x 56cm (10' x 6' x 22") Water body: L x W: 2.44m x 1.24m (96" x 49") Water depth: 38cm (15") Actual: L x W x H: 3.08m x 1.84m x 55cm (10.1ft. x 6.1ft. x 21.6in.) Water body: L x W: 2.49m x 1.22m (98in. x 48in.) Water depth: 36.9cm (14.5in.) | Pass |
| 4.5 Minimum perfe | ormance requirements for structural materials | - | |
| 4.5.1 General | The structural design and materials shall be in accordance with accepted structural engineering practices. Selection of materials for the construction of the mini-pool shall be conducted under consideration of external influences, including but not limited to, temperature, UV, chemicals, etc., when appropriate, that may influence the structural integrity of the material. Any combination of different materials in direct contact with each other shall be compatible and not negatively affect each other's properties or structural integrity. The requirements of this section do not apply to non- structural elements of the mini-pool, including, but not | | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gg.com/en/Terms-and-Conditions.agp, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions/Terms-en-Document.agp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of clients' instructions, if any. The Company's sole responsibility is to its Client and this document. Sonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced atceration, forger or falsification of the content or appoarance of this document is unlawful and offonders may be processued to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or envirted.

of Balling Note Note Nation 1995 (Nation Stranghat, China 200233) t (86) 400 960 9661 f (86-21) 6115 6899 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899



No.: SHHL2104015019PL

Date: APR. 22, 2021

21 Page: 4 of 11

| Clause | Test Method / Requirement | Result | Rating |
|--|---|----------------|----------|
| | limited to, elements with solely decorative function. | | |
| 4.5.2 Specific requirements and testing for corrosion resistance | | | |
| 4.5.2.1 Metal products | Subject a sample per type of metallic surface (other than aluminium) of the wall, before fitting, to a salt spray for 96 h in accordance with EN ISO 9227. At the end of the test, evaluate the results obtained by reference to the requirements of EN ISO 4628-3. The number of rust specks on the surface should conform to class RI 1 or lower. | No metal parts | N/A |
| 4.5.2.2 Wood | Structural elements made of wood or wood-based material shall meet the following requirements according to EN 335: — use class 3 if they are not in direct contact with ground and / or fresh water — use class 4 if they are in direct contact with ground and / or fresh water Compatible woods may be chosen according to two distinct approaches: — using naturally durable woods (excluding sapwood) as defined in EN 350, that meet the requirements for use in applicable hazard classes in EN 460. — using wood with conferred durability (preservation treatments while conserving the sapwood), that meets the requirements for use in applicable hazard classes in EN 351-1. | No wood | N/A |
| 4.6 Injury risks | | | <u>.</u> |
| 4.6.1 Small elements, edges and corners | When the mini-pool is being used, any protrusion on accessible parts liable to present a risk of injury shall be protected by a method which in order to be removed, requires the use of a tool or a minimum amount of force of 60 N, with an accuracy of 2 N. During the installation, equipment made of wood, fibreglass, or other materials shall be free of splinters. Small accessible and grippable elements shall not fully enter into the template shown in Figure 8 (EN 71-1) or they shall be fixed to the item to which they belong such that they cannot be detached under a force of 60 N, with an accuracy of 2 N, applied in any direction whatsoever. All edges, protruding parts and corners accessible without use of tools or minimum amount of force of 60 N (±2 N) shall be designed not to cause any injury. When necessary they shall be treated appropriately to remove this risk (see Figure 9). For example, edges can be bevelled or rounded, and surfaces shall be smooth and free from burrs. Examples are provided in Figure 9. If they are due to a wall thickness lower than 4 mm, one of the following | | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawing and their ingence in the full of the full of the full of days only. The company's testing inspecies report accentificate, please contact us at tolephone: (86-755) 8307 1443, or email: Chocket the appharing of testing inspecies report a certificate, please contact us at tolephone: (86-755) 8307 1443.

4[®] Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86–21) 6115 6899 v t (86) 400 960 9661 f (86–21) 6115 6899 e



No.: SHHL2104015019PL

Date: APR. 22, 2021

Page: 5 of 11

| Clause | Test Method / Requirement | Result | Rating |
|-------------------|--|--------|--------|
| | requirements applies: | | |
| | — they shall be folded, rolled or wound in spirals | | |
| | according to Figure 9 d); | | |
| | — they shall be protected by a plastic coating or by any | | |
| | other suitable means as shown in Figure 9 e). | | |
| 4.6.2 Permissible | openings | | |
| 4.6.2.1 Principle | To prevent entrapment hazards inside the pool structure, | 1 | N/A |
| | accessible openings with the lowest point located beyond | | |
| | 500 mm below the maximum water level recommended by | | |
| | the manufacturer shall be restricted to the range of | | |
| | opening or gap size dimensions specified in 4.6.2.2 to | | |
| | 4.6.2.3, unless specifically permitted in other | | |
| | clauses/annexes of this standard and/or parts of this | | |
| | standard series. | | |
| | Test methods for entrapment are given in Annex C. | | |
| | If the depth of penetration (see Figure 10) is less than | | |
| | 10mm, no requirements apply. | | |
| 4.6.2.2 Finger | Where there is a risk of finger or toe entrapment, the | / | N/A |
| and toe | permissible opening shall be $\leq 8 \text{ mm or } \geq 25 \text{ mm}$ (see | | |
| entrapment | [C.2). | | |
| 4.6.2.3 Head | Where there is a risk of head or neck entrapment, the | / | N/A |
| and neck | permissible opening shall be $\leq 110 \text{ mm or } \geq 230 \text{ mm}.$ | | |
| entrapment | where an opening is ≥ 230 mm it should not permit | | |
| | passage to further entrapment nazaros. | | |
| | where there is a combination of risks, the lesser of the | | |
| 4.6.2.4 Other | Other permissible energings include the range between 25 | 1 | NI/A |
| hody | mm and 110 mm. When such openings are necessary for | 1 | IN/A |
| entranment | the functionality of the mini-pool or its specific features | | |
| entrapment | the manufacturer shall provide the proper safety | | |
| | instructions for safe operation of such feature and alert the | | |
| | consumer of potential risk of entranment when applicable | | |
| 47 Accessibility | The mini-pools being lower than 850 mm wall beight can | 1 | Pass |
| 4.1 Accessionity | be accessed relatively easily therefore constant adult | 1 | 1 033 |
| | supervision of children is imperative and the only reliable | | |
| | method of ensuring children safety | | |
| | The risk of drowning is reasonably foreseeable and | | |
| | especially high for children under 5 years. | | |
| | Accordingly, it is necessary for the adult supervisor to | | |
| | keep the children under competent supervision at all | | |
| | times. | | |
| | Furthermore keep a telephone or a means of | | |
| | communication near the pool in order to be able to call the | | |
| | emergency services. | | |
| | Even when the pool is not in use, the following actions | | |
| | shall be considered: | | |
| | — make the mini-pool inaccessible if possible (e.g. lock | | |



otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed if, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is 1 that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of 1 instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a tion from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or ance of this document is unlewful and offonders may be processued to the fullost extended for 30 days only. on: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8307 1443, af, available t to Terms adv transac except oppoor results

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 中国・上海・徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899



No.: SHHL2104015019PL

15019PL Dat

Date: APR. 22, 2021 Page: 6 of 11

| Clause | Test Method / Requirement | Result | Rating |
|--------------------|--|--------|--------|
| | doors, windows and access paths to the minipool); | | |
| | and/or | | |
| | — install a protection device; and/or | | |
| | — empty the mini-pool. | | |
| | If a specific means of access is used (e.g. ladder) such | | |
| | means of access shall comply with requirements for safe | | |
| | means of access specified in EN 16582-1:2015, 5.4.4. | | |
| 5 Instructions for | the consumer | 1 | |
| 5.1 General | All documents shall contain: | 1 | Pass |
| principles | — the following statement: "Please read carefully and | | |
| | keep for future reference"; | | |
| | — the information to identify the model of the basin, mini- | | |
| | pool to which the document relates; | | |
| | — the name and contact information of the person | | |
| | responsible for placing the product on the market | | |
| | (manufacturer, distributor or importer). | | |
| | All instructions shall be legible, clear, comprehensible to | | |
| | the buyer and written in official national languages where | | |
| | the product is sold. | | |
| | For better comprehension, the use of illustrations is | | |
| | recommended. | | |
| | When the manufacturer's instructions contain several | | |
| | pages, they shall have numbered pages. | | |
| | The cautions and warnings shall be highlighted. | | |
| | Illustrations, if any, shall be placed such that they can be | | |
| | seen while the text referring to them is being read. | | |
| | I ne visuals shall not contradict the requirements included | | |
| | In this document. | | |
| | where it is not specified in other rules and/or it does not | | |
| | conflict with existing regulations, the manufacturer's | | |
| 500 100 | Instructions need to be considered. | , | _ |
| 5.2 Point-of- | To allow the buyer to make a choice, the point-of- | 1 | Pass |
| purchase | purchase information shall indicate the following at | | |
| information | least: | | |
| | — the reference to this document and its following parts if | | |
| | applicable; | | |
| | — the commercial name or reference; | | |
| | — the maximum total overall dimension (see examples in | | |
| | Annex A); | | |
| | — the maximum volume of water as specified by the | | |
| | manufacturer; | | |
| | — In case of mini-pools with rigid walls, the obligation not | | |
| | to install the mini-pool in the ground; | | |
| | - satety information and/or pictograms related to the | | |
| | TOIIOWING: | | |
| | — awareness of the risk of drowning in the mini-pool; | | |
| | adult supervision of children. | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Courtentage. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offondors may be processued to the fullicet extent of the law. Unlose otherwise stated ther retention: To check the exploration to the sample(s) itesited and such sample(s) are retained for 30 days only. or email: Check the exploration of the sample(s) itesited and such sample(s) are taken to us at toefphone: (86-755) 8307 1443, or email: Check the exploration of the sample(s) itesited and such sample(s) are taken to us at toefphone: (86-755) 8307 1443, or email: Check the exploration of the sample(s) itesited and such sample(s) are taken to us at toefphone: (86-755) 8307 1443, or email: Check the exploration of the sample(s) itesited and such sample(s) are taken to us at toefphone: (86-755) 8307 1443, or email: Check the exploration of the sample sample(s) itesited and such sample(s) are taken to us at toefphone: (86-755) 8307 1443, or email: Check the exploration of the sample sample sample sample sand the sample sa

4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国 •上海 • 徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86–21) 6115 6899 www t (86) 400 960 9661 f (86–21) 6115 6899 e s

www.sgsgroup.com.cn e sgs.china@sgs.com



No.: SHHL2104015019PL

Date: APR. 22, 2021 Page: 7 of 11

| Clause | Test Method / Requirement | Result | Rating |
|------------------|---|--------|--------|
| 5.3 Installation | Mini-pools shall be accompanied by information | 1 | Pass |
| and | necessary or applicable for correct set up and proper use | | |
| maintenance | and maintenance such as, but not limited to,: | | |
| information | — selection of appropriate location to prevent the hazard | | |
| | of drowning of young children, install the | | |
| | mini-pool in a place where it is possible for the supervision | | |
| | to be constant; | | |
| | — the list of all of the parts and the description of the | | |
| | installation phases in chronological order; | | |
| | — the list of the tools required for the installation and of | | |
| | the materials complementary to the | | |
| | the address or telephone number or small address | | |
| | — the address of telephone number of email address | | |
| | information during the installation of the mini neal in the | | |
| | event of problems: | | |
| | - the safety instructions (see examples in Anney B): | | |
| | — recommendations concerning the filling level: | | |
| | — if applicable, recommendations concerning the inflation | | |
| | level | | |
| | — if appropriate, recommendations concerning the need | | |
| | to monitor bolts and screws: splinters or any | | |
| | sharp edges; | | |
| | - recommendations on winterising and long-term | | |
| | storage; | | |
| | instructions for regular water replacement to maintain | | |
| | water hygiene. | | |
| 5.4 On-product | All mini-pools shall carry the following warnings: | 1 | Pass |
| warnings | — the safety sign in Figure 11 and/or the following text: " | | |
| | Keep children under supervision in the aquatic | | |
| | environment ", and | | |
| | — the safety sign in Figure 12 and/or the following text: | | |
| | "No diving". | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company hay nu nauthorized alteration, forgery or falsification of the content or appoarance of this document is unlawful and defenders may be procedued to the fulleet attent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: CN.Doccheck@uss.com

4^{*} Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86–21) 6115 6899 t (86) 400 960 9661 f (86–21) 6115 6899

www.sgsgroup.com.cn e sgs.china@sgs.com



No.: SHHL2104015019PL Date: APR. 22, 2021 Page: 8 of 11

Remark:

1. N/A = Not applicable.

Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

The declaration of conformity is based on non-binary acceptance decision rules with guard band, and the guard band length parameter is 0. When the measured value falls in the guard band limit, the declaration of conformity is "Conditional PASS" or "Conditional FAIL".



ness otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed rereaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, bipet to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Counditions/Terms-en-Counditions/Terms-en-Counditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Counditio

4^{*}Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgsgroup.com.cn 中国 • 上海 • 徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com



No.: SHHL2104015019PL Date: A

Date: APR. 22, 2021 Page: 9 of 11

Sample Photo:

Test sample







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

4th Bulding, No.889, Yishan Road, Xuhui District Shanghai, China 200233 tt 中国 • 上海 • 徐汇区宜山路889号4号楼 邮编: 200233 tt

t (86) 400 960 9661 f (86–21) 6115 6899 t (86) 400 960 9661 f (86–21) 6115 6899

f (86-21) 6115 6899 www.sgsgroup.com.cn f (86-21) 6115 6899 e sgs.china@sgs.com







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company by proceeded to the fulleet actent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM-Doccheck@ss.com

4⁴ Building, No.889, Yishan Road, Xuhui Dishtict Shanghai, China 200233 t (86) 400 960 9661 f (86–21) 6115 6899 中国 •上海 • 徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86–21) 6115 6899

21) 6115 6899 www.sgsgroup.com.cn 21) 6115 6899 e sgs.china@sgs.com





SGS authenticate the photo on original report only

End of Report



nless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed vertear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic forumat documents biplect to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Counditions/Terms-en-Counditions/Terms-en-Counditions for electronic forumat aspx. tention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document aspx. Vised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lient's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a snasction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced ccept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or spoarance of this document is unlawful and offondore may be procesouted to the fullest extent of 10 aday sonly. tention: To check the authenticity of testing limpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, email: CN_DoccHeck@sgs.com Building,No889, Yishan Read, Xhuin Disht Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgsgroup.com.cn

4⁴ Building, Nosking Ystan Road, Juhui District Shanghai, China 200233 t (86) 400 960 9661 f (86–21) 6115 6899 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86–21) 6115 6899

e sgs.china@sgs.com