

# Safety Data Sheet

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Purple 200ml reed diffuser  
COMPANY NAME: Colourful Home Decoration(NanTong) Co.,Ltd.  
COMPANY ADDRESS: No. 16 DongYue Road, JiangAn Town ,  
RuGao, NanTong, JiangSu Province, China

Tel: 86-0513-87590736 87590756

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfume compound

1.3 Details of the supplier of the safety data sheet

Ogalas Unltd TVA Home Store + More

1.4 Emergency telephone number

35314276500

## 2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Pictogram:GHS07

Signal word: Warning

Hazard statements:

H317 - May cause an allergic skin reaction.

Hazardous components which must be listed on the label:

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)

linalool

Spearmint oil

Oils, Lavandin

2-hexyl-3-phenyl-2-propenal (trans & cis)

Eucalyptus oil

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)

3,7-dimethyl-6-octen-1-ol (= citronellol)

Classification system:

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Pictogram: No

Signal word: No

Hazard statements: No

Hazardous components which must be listed on the label:

EUH208 - May produce an allergic reaction.

isoeugenol

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)

Precautionary statements

PREVENTION

- P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P273 Avoid release to the environment.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P501 Dispose of contents/container in accordance with local/  
regional/national/international regulations.

### 3. COMPOSITION/ INFORMATION INGREDIENTS

Chemical identification: Composition; Multicomponent mixture  
of natural and synthetic raw materials

CAS number Not applicable, product is a mixture

EINECS number Not applicable, product is a mixture

| Contains                         | CAS        | EINECS    | Classification EC 1272/2008  | Conc%   |
|----------------------------------|------------|-----------|------------------------------|---------|
| (2-methoxymethylethoxy)propanol  | 34590-94-8 | 252-104-2 | Not Classified               | 70-90   |
| Water                            | 7732-18-5  | 231-791-2 | H302,GHS07                   | 5-10    |
| Alcohols                         | 68937-66-6 |           |                              | 2-5     |
| diethylene glycol monoethylether | 111-90-0   | 203-919-7 | Flammable liquids 4;<br>H227 | 0.3-0.5 |

|  |            |           |   |           |
|--|------------|-----------|---|-----------|
| (2-Methoxymethylethoxy)propanol  | 34590-94-8 | 252-104-2 | Flammable liquids 4; H227   | 0.01-0.1  |
| 4-tert-butylcyclohexyl acetate   | 32210-23-4 | 250-954-9 | Acute toxicity 5; H303<br>Skin sensitisation 1B; H317<br>Short-term (acute) aquatic hazard 2; H401  | 0.025-0.1 |
| Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester                       | 24851-98-7 | 246-495-9 | Short-term (acute) aquatic hazard 3; H402   | 0.025-0.1 |
| 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (main component) | 28219-61-6 | 248-908-8 | Skin irritation 2; H315<br>Eye irritation 2A; H319<br>Short-term (acute) aquatic hazard 2; H401<br>Long-term (chronic) aquatic hazard 2; H411   | 0.025-0.1 |
| 3,7-dimethyl-1,6-octadien-3-ol (= Linalool)                                  | 78-70-6    | 201-134-4 | Flammable liquids 4; H227<br>Acute toxicity 5; H303<br>Skin irritation 2; H315<br>Eye irritation 2A; H319<br>Skin sensitisation 1B; H317<br>Short-term (acute) aquatic hazard 3; H402 | 0.025-0.1 |

|   |            |           |  |            |
|---|------------|-----------|--|------------|
| 3-Ethoxy-4-Hydroxybenzaldehyde (= ethyl vanillin) | 121-32-4   | 204-464-7 | Acute toxicity 5; H303<br>Eye irritation 2B; H320<br>Short-term (acute)<br>aquatic hazard 3; H402  | 0.025-0.1  |
| Cedryl methyl ether                               | 19870-74-7 | 243-384-7 | Skin sensitisation 1B;<br>H317<br>Short-term (acute)<br>aquatic hazard 1; H400<br>Long-term (chronic)<br>aquatic hazard 1; H410  | 0.01-0.025 |
| 2-hexyl-3-phenyl-2-propenal<br>(trans & cis)      | 101-86-0   | 202-983-3 | Acute toxicity 5; H303<br>Skin irritation 3; H316<br>Skin sensitisation 1B;<br>H317<br>Short-term (acute)<br>aquatic hazard 1; H400<br>Long-term (chronic)<br>aquatic hazard 2; H411 | 0.1-0.025  |
| 2H-1-benzopyran-2-one<br>(=coumarin)              | 91-64-5    | 202-086-7 | Acute toxicity 3; H301<br>Skin sensitisation 1B;<br>H317<br>Short-term (acute)<br>aquatic hazard 3; H402   | 0.01-0.025 |
| 2-pentyl-3-phenyl-2-propen-1-al                   | 122-40-7   | 204-541-5 | Acute toxicity 5; H303<br>Skin irritation 3; H316<br>Skin sensitisation 1B;<br>H317<br>Short-term (acute)<br>aquatic hazard 2; H401<br>Long-term (chronic)<br>aquatic hazard 2; H411 | 0.01-0.025 |

|  |            |           |  |             |
|--|------------|-----------|--|-------------|
| 2-propenyl hexanoate (= Allyl hexanoate)     | 123-68-2   | 204-642-4 | Flammable liquids 4; H227<br>Acute toxicity 3; H301<br>Acute toxicity 3; H331<br>Acute toxicity 3; H311<br>Short-term (acute) aquatic hazard 1; H400<br>Long-term (chronic) aquatic hazard 3; H412 | 0.01-0.025  |
| 2-methylpyran-4-one-3-yl 2-methylpropanoate  | 65416-14-0 | 265-755-2 | Acute toxicity 5; H303<br>Skin sensitisation 1B; H317<br>Short-term (acute) aquatic hazard 3; H402   | 0.01-0.025  |
| 3,7-dimethyl-6-octen-1-ol (= citronellol)    | 106-22-9   | 203-375-0 | Acute toxicity 5; H303<br>Acute toxicity 5; H313<br>Skin irritation 2; H315<br>Eye irritation 2A; H319<br>Skin sensitisation 1B; H317<br>Short-term (acute) aquatic hazard 2; H401                 | 0.0025-0.01 |
| (R)-1-methyl-4-(1-methylethenyl)-cyclohexene | 5989-27-5  | 227-813-5 | Flammable liquids 3; H226<br>Skin irritation 2; H315<br>Skin sensitisation 1; H317<br>Short-term (acute) aquatic hazard 1; H400<br>Long-term (chronic) aquatic hazard 1; H410                      | 0.0025-0.01 |

|  |          |           |  |              |
|--|----------|-----------|--|--------------|
| 3-phenyl-2-propenal (= Cinnamic aldehyde)                  | 104-55-2 | 203-213-9 | Acute toxicity 5; H303<br>Acute toxicity 4; H312<br>Skin irritation 2; H315<br>Eye irritation 2A; H319<br>Skin sensitisation 1A; H317<br>Short-term (acute) aquatic hazard 2; H401<br>Long-term (chronic) aquatic hazard 3; H412 | 0.0025-0.01  |
| 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) | 115-95-7 | 204-116-4 | Flammable liquids 4; H227<br>Skin irritation 2; H315<br>Eye irritation 2B; H320<br>Skin sensitisation 1B; H317<br>Short-term (acute) aquatic hazard 3; H402  | 0.0025-0.01  |
| 3,7-dimethyl-2,6-octadien-1-ol (= nerol)                   | 106-25-2 | 203-378-7 | Acute toxicity 5; H303<br>Skin irritation 2; H315<br>Eye irritation 2A; H319<br>Skin sensitisation 1B; H317<br>Short-term (acute) aquatic hazard 2; H401   | 0.0025-0.01  |
| 2,6-bis(1,1-dimethylethyl)-4-methylphenol                  | 128-37-0 | 204-881-4 | Short-term (acute) aquatic hazard 1; H400<br>Long-term (chronic) aquatic hazard 1; H410  | 0.001-0.0025 |

|   |            |           |  |              |
|---|------------|-----------|--|--------------|
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one | 57378-68-4 | 260-709-8 | Acute toxicity 4; H302<br>Skin irritation 2; H315<br>Skin sensitisation 1A; H317<br>Short-term (acute) aquatic hazard 1; H400<br>Long-term (chronic) aquatic hazard 1; H410                                | 0.001-0.0025 |
| Oils, Lemon   | 8008-56-8  | 284-515-8 | Flammable liquids 3; H226<br>Skin irritation 2; H315<br>Skin sensitisation 1; H317<br>Aspiration hazard 1; H304<br>Short-term (acute) aquatic hazard 2; H401<br>Long-term (chronic) aquatic hazard 2; H411 | 0.001-0.0025 |

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air

After skin contact:

Take off all contaminated clothing immediately. If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15 minutes.

After eye contact:

Rinse copiously with clean, fresh water for at least 10 minutes, hold the eyelids apart.

Remove contactlenses.

After swallowing:

Clean mouth with water and drink plenty of water afterwards. Prevent vomiting if possible.

If a person vomits when lying on his back, place him in recovery position.

Never give anything by mouth to an unconscious person.

##### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Not available

##### 5.2 Special hazards arising from the substance or mixture

No further relevant

information available.

### 5.3 Advice for firefighters

Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use Personal Protective equipment recommended in section 8.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders , sawdust).

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

For the general occupational hygienic measures refer to Section 8.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

### 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

Avoid repeated or prolonged contact with the skin. Keep out of eyes.

Do not ingest. Use with good ventilation, do not breathe vapour.

Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

Appropriate engineering controls

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

See section 7 for information about design of technical facilities.



Personal protective equipment:

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



*Protective gloves*

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation  
Due to missing tests no recommendation to the glove material can be given for the product/  
the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times,  
rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material,  
but also on further marks of quality and varies from manufacturer to manufacturer.

As the product is a preparation of several substances, the resistance of the glove material can  
not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves  
and has to be observed.

· Eye protection:



*Tightly sealed goggles*

Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

#### 9.1 Information on basic physical and chemical properties

Appearance:

|                  |                |
|------------------|----------------|
| Form:            | Liquid         |
| Colour:          | transparent    |
| Odour:           | Characteristic |
| Odour threshold: | Not available  |
| pH-value:        | Not available  |

Change in condition

|                              |               |
|------------------------------|---------------|
| Melting point/Melting range: | Not available |
| Boiling point/Boiling range: | Not available |
| Freezing point:              | Not available |
| Flash point:                 | >70 °C        |

|  |   |
|--|---|
| Flammability (solid, gaseous):           | Not applicable.   |
| Auto-ignition temperature:               | Not applicable.   |
| Decomposition temperature:               | Not applicable.   |
| Self-igniting:                           | Not applicable.   |
| Explosive properties:                    | Not applicable.   |
| Explosion limits:                        |   |
| Lower:                                   | Not applicable.   |
| Upper:                                   | Not applicable.   |
| Oxidizing properties:                    | Not applicable.   |
| Vapour pressure:                         | Not applicable.   |
| Density:                                 | Not applicable.   |
| Relative density:                        | Not applicable.   |
| Vapour density:                          | Not applicable.   |
| Evaporation rate:                        | Not applicable.   |
| Solubility in / Miscibility with water:  | Not applicable.   |
| Partition coefficient (n-octanol/water): | Not applicable.   |
| Viscosity:                               | Not applicable.   |
| Dynamic:                                 | Not applicable.   |
| Kinematic:                               | Not applicable.   |
| 9.2 Other information                    | Due to its structural properties, the product is not classified as explosive.<br>The substance or mixture is not classified as oxidizing. |

## SECTION 10: Stability and reactivity

- 10.1 Reactivity No decomposition if used according to specifications.
- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

- Acute toxicity  
May be harmful if swallowed.
- Skin corrosion / irritation  
Causes skin irritation.
- Serious eye damage / irritation  
Causes serious eye irritation.
- Respiratory or skin sensitisation  
May cause an allergic skin reaction.

## SECTION 12: Ecological information

Ecological effect: No serious effect.

## 13. DISPOSAL CONDITIONS

### 13.1 Waste treatment methods

Recommendation: Small quantities can be disposed of with household waste.

Recommendation: Small quantities can be disposed of with household waste.

Recommendation: Disposal must be made according to official regulations.

#### SECTION 14: Transport information

Environment hazardous substance liquid N.O.S

UN NO. : N/A UN Class : N/A Packaging Group : N/A

RID/ADR: NOT RESTRICTED

IMDG: NOT RESTRICTED

ICAO/IATA: NOT RESTRICTED

MARINE POLLUTANT: NOT APPLICABLE

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not available

Qualifying quantity (tonnes) for the application of upper-tier requirements Not available

National regulations:

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Other regulations, limitations and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (15/6/2015)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (22/04/2015)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16. OTHER INFORMATION

The information in this MSDS was obtained from current and reliable source. It is only to describe the materials in terms with their safety requirements, and may not be valid for such material used in combination with any other material or in any other process. It is provided without warranty, express or implied regarding its accuracy. It is the user, s responsibility to determine safe conditions and to assume liability for loss, injury , damage, or expense resulting form improper use of it.