home fragrance

SAFETY DATA SHEET

Version #: 05

Issue date: 20-January-2023 Revision date: 28-May-2023 Supersedes date: 06-May-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Yankee Candle Wild Orchid Reed Diffuser - 1745724E

Registration number

Synonyms None 1745724F Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known 1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address**

> Avonmouth **Bristol**

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Centre

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

1.4. Emergency telephone number

Norway Norwegian Poison

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be **Information Centre**

available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Centre**

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information

Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info 145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) Suisse

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment,

long-term aquatic hazard

Category 3

H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 4CSX-WS78-9Q7H-NKVN Belgium: 4CSX-WS78-9Q7H-NKVN Bulgaria: 4CSX-WS78-9Q7H-NKVN Croatia: 4CSX-WS78-9Q7H-NKVN Cyprus: 4CSX-WS78-9Q7H-NKVN

Czech Republic: 4CSX-WS78-9Q7H-NKVN Denmark: 4CSX-WS78-9Q7H-NKVN Estonia: 4CSX-WS78-9Q7H-NKVN EU: 4CSX-WS78-9Q7H-NKVN Finland: 4CSX-WS78-9Q7H-NKVN France: 4CSX-WS78-9Q7H-NKVN Germany: 4CSX-WS78-9Q7H-NKVN Great Britain: 4CSX-WS78-9Q7H-NKVN Greece: 4CSX-WS78-9Q7H-NKVN Hungary: 4CSX-WS78-9Q7H-NKVN Iceland: 4CSX-WS78-9Q7H-NKVN Ireland: 4CSX-WS78-9Q7H-NKVN Italy: 4CSX-WS78-9Q7H-NKVN Latvia: 4CSX-WS78-9Q7H-NKVN Lithuania: 4CSX-WS78-9Q7H-NKVN Luxembourg: 4CSX-WS78-9Q7H-NKVN Malta: 4CSX-WS78-9Q7H-NKVN Netherlands: 4CSX-WS78-9Q7H-NKVN

Norway: 4CSX-WS78-9Q7H-NKVN Poland: 4CSX-WS78-9Q7H-NKVN Portugal: 4CSX-WS78-9Q7H-NKVN Romania: 4CSX-WS78-9Q7H-NKVN Slovakia: 4CSX-WS78-9Q7H-NKVN Slovenia: 4CSX-WS78-9Q7H-NKVN Spain: 4CSX-WS78-9Q7H-NKVN Sweden: 4CSX-WS78-9Q7H-NKVN

Contains: Benzoic acid, 2-hydroxy-, hexyl ester, Benzyl salicylate, Cyclamen aldehyde, Hexyl Cinnamal,

Hydroxycitronellal, Isocyclemone E, Linalool, Oils, orange, sweet

Material name: Yankee Candle Wild Orchid Reed Diffuser - 1745724E

1745724E Version #: 05 Revision date: 28-May-2023 Issue date: 20-January-2023

Hazard pictograms



Danger Signal word

Hazard statements

Highly flammable liquid and vapour. H225 May cause an allergic skin reaction. H317 Causes serious eve irritation.

H319

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

P233

Keep out of reach of children. P102

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Keep container tightly closed.

Keep cool. P235

Ground and bond container and receiving equipment. P240 Use explosion-proof electrical/ventilating/lighting equipment. P241

Use non-sparking tools. P242

Take action to prevent static discharges. P243

Avoid breathing mist/vapours. P261 Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with P303 + P361 + P353

water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 P337 + P313 If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. P362 + P364 In case of fire: Use appropriate media to extinguish. P370 + P378

Storage

Not applicable.

Store in a well-ventilated place. Keep cool. P403 + P235

None.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol	70 - 80	64-17-5 200-578-6	-	603-002-00-5	
	Classification: Flam. Liq.	2;H225, Eye Irrit. 2;H	1319		
Hexyl Cinnamal	1 - 3	101-86-0 202-983-3	-	-	
	Classification: Skin Sens Chronic 2		cute 1;H400(M=1), Aquatic		
Benzyl salicylate	≤ 1	118-58-1	-	607-754-00-5	

Classification: Eye Irrit. 2;H319, Skin Sens. 1B;H317, Aquatic Chronic 3;H412

Chemical name	%	CAS-No. / EC No.	REACH Registration No	o. Index No.	Notes
Galaxolide	≤ 0,3	1222-05-5 214-946-9	-	603-212-00-7	
	Classification: Aquatic A	cute 1;H400, Aquatic	Chronic 1;H410		
Hydroxycitronellal	≤ 0,3	107-75-5 203-518-7	-	-	
	Classification: Eye Irrit. 2	;H319, Skin Sens. 1E	3;H317		
Linalool	≤ 0,3	78-70-6 201-134-4	-	603-235-00-2	
	Classification: Skin Irrit.	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Benzoic acid, 2-hydrox	xy-, hexyl ester ≤ 0,2	6259-76-3 228-408-6	-	-	
	Classification: Skin Sens Chronic 1	. 1B;H317, Aquatic A H410(M=1)	cute 1;H400(M=1), Aquati	С	
Cyclamen aldehyde	≤ 0,2	103-95-7 203-161-7	-	-	
	Classification: Skin Irrit.	2;H315, Skin Sens. 1	3;H317, Aquatic Chronic	3;H412	
Isocyclemone E	≤ 0,2	54464-57-2 259-174-3	-	-	
	Classification: Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 2	2;H411	
Oils, orange, sweet	≤ 0,2	8008-57-9 616-926-9	-	-	
	Classification: Flam. Liq. 1;H317, A	2;H225, Skin Irrit. 2;H sp. Tox. 1;H304, Aqu		kin Sens.	
Lyral	≤ 0,1	31906-04-4 250-863-4	-	605-040-00-8	
	Classification: Skin Sens				

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Material name: Yankee Candle Wild Orchid Reed Diffuser - 1745724E

1745724E Version #: 05 Revision date: 28-May-2023 Issue date: 20-January-2023

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

1000 ppm

7.3. Specific end use(s)Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001			
Components	Туре	Value	
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3	
		2000 ppm	
	MAK	1900 mg/m3	

Material name: Yankee Candle Wild Orchid Reed Diffuser - 1745724E

1745724E Version #: 05 Revision date: 28-May-2023 Issue date: 20-January-2023

Belgium. Exposure Limit Valu Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm
Bulgaria. OELs. Regulation No Components	o 13 on protection of workers aga Type	inst risks of exposure to chemical agents at work Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Croatia. Dangerous Substance Components	e Exposure Limit Values in the Wo	orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/0 Value
Ethanol (CAS 64-17-5)	MAC	1900 mg/m3
		1000 ppm
Czech Republic. OELs. Govern Components	nment Decree 361 Type	Value
Ethanol (CAS 64-17-5)	Ceiling	3000 mg/m3
=triarior (CA3 04-17-3)	TWA	1000 mg/m3
Danmark Evnagura Limit Val		roos mg/mo
Denmark. Exposure Limit Valı Components	ues Type	Value
Ethanol (CAS 64-17-5)	TLV	1900 mg/m3
,		1000 ppm
Estonia. OELs. Occupational I	Exposure Limits of Hazardous Su	bstances (Regulation No. 105/2001, Annex), as amended
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Finland. Workplace Exposure Components	Limits Type	Value
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3
,		1300 ppm
	TWA	1900 mg/m3
		1000 ppm
France. Threshold Limit Value Components	s (VLEP) for Occupational Expos Type	ure to Chemicals in France, INRS ED 984 Value
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3
	active limit (\/I\)	
,	ative limit (VL)	
Regulatory status: Indic	, ,	5000 ppm
Regulatory status: Indic	eative limit (VL)	
Regulatory status: Indic	rative limit (VL) VME	5000 ppm 1900 mg/m3
Regulatory status: Indic	eative limit (VL)	1900 mg/m3
Regulatory status: Indicate Re	rative limit (VL) VME	
Regulatory status: Indic Regulatory status: Indic Regulatory status: Indic Regulatory status: Indic Germany. DFG MAK List (advis	eative limit (VL) VME eative limit (VL) eative limit (VL)	1900 mg/m3 1000 ppm
Regulatory status: Indicates Regulatory statu	eative limit (VL) VME eative limit (VL) eative limit (VL)	1900 mg/m3 1000 ppm
Regulatory status: Indicates Regulatory statu	eative limit (VL) VME eative limit (VL) eative limit (VL) sory OELs). Commission for the I	1900 mg/m3 1000 ppm Investigation of Health Hazards of Chemical Compounds
Regulatory status: Indicate Re	eative limit (VL) VME eative limit (VL) eative limit (VL) sory OELs). Commission for the I	1900 mg/m3 1000 ppm Investigation of Health Hazards of Chemical Compounds Value
Regulatory status: Indicates Regulatory statu	eative limit (VL) VME eative limit (VL) eative limit (VL) sory OELs). Commission for the I	1900 mg/m3 1000 ppm Investigation of Health Hazards of Chemical Compounds Value 380 mg/m3 200 ppm
Regulatory status: Indicates Regulatory statu	eative limit (VL) VME eative limit (VL) eative limit (VL) sory OELs). Commission for the I Type TWA	1900 mg/m3 1000 ppm Investigation of Health Hazards of Chemical Compounds Value 380 mg/m3 200 ppm
Regulatory status: Indicates Regulatory statu	cative limit (VL) VME cative limit (VL) cative limit (VL) sory OELs). Commission for the I Type TWA	1900 mg/m3 1000 ppm Investigation of Health Hazards of Chemical Compounds Value 380 mg/m3 200 ppm

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Hungary. OELs. Joint Decree on Chemical Components	Safety of Workplaces Type	Value
Ethanol (CAS 64-17-5)	STEL	3800 mg/m3
	TWA	1900 mg/m3
lceland. OELs. Regulation 154/1999 on oc Components	cupational exposure limits Type	V alue
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
reland. Occupational Exposure Limits Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Italy. Occupational Exposure Limits Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Latvia. OELs. Occupational exposure limit	t values of chemical substan Type	ces in work environment Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Lithuania. OELs. Limit Values for Chemic Components	al Substances, General Requ Type	uirements Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Netherlands. OELs (binding)		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3
Norway. Administrative Norms for Contam Components	ninants in the Workplace Type	V alue
Ethanol (CAS 64-17-5)	TLV	950 mg/m3
		500 ppm
	health factors in the work er	nvironment, Journal of Laws 2014, item 817
Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
Portugal. VLEs. Norm on occupational exp Components	oosure to chemical agents (N Type	NP 1796) Value
Ethanol (CAS 64-17-5)	TWA	1000 ppm
Romania. OELs. Protection of workers fro Components	m exposure to chemical age Type	nts at the workplace Value
Ethanol (CAS 64-17-5)	STEL	9500 mg/m3
		5000 ppm
	TWA	1900 mg/m3
		1000 1119/1110

Components Tthoral (CAS 64 47 5)	Type STEL	Value	
Ethanol (CAS 64-17-5)	SIEL	1920 mg/m3 1000 ppm	
	TWA	960 mg/m3	
	TVVA	500 ppm	
Slovenia. OELs. Regulation (Official Gazette of the Re		s against risks due to exposure to chemicals while work	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	960 mg/m3	
,		500 ppm	
Spain. Occupational Expo	osure I imits		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3	
,		1000 ppm	
Sweden OFLs Work Env	ironment Authority (AV). Occupation	al Exposure Limit Values (AFS 2015:7)	
Components	Type	Value	
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3	
		1000 ppm	
	TWA	1000 mg/m3	
		500 ppm	
Switzerland. SUVA Grenzy	werte am Arbeitsplatz		
Components	Type	Value	
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3	
		1000 ppm	
	TWA	960 mg/m3	
		500 ppm	
UK. EH40 Workplace Expo	osure Limits (WELs)		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3	
		1000 ppm	
logical limit values	No biological exposure limits noted	for the ingredient(s).	
ommended monitoring	Follow standard monitoring proced	ures.	
cedures	N. 4		
ived no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
osure guidelines			
Netherlands OELs (bindin	g): Skin designation		
Ethanol (CAS 64-17-5)	Car	n be absorbed through the skin.	
Exposure controls			
propriate engineering trols	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommende exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
	s, such as personal protective equip		
General information		t as required. Personal protection equipment should be chos nd in discussion with the supplier of the personal protective	
		ia in alcoholi iliai alcohappiloi oi alcopologia protocaro	
Eye/face protection	equipment.	lds (or goggles). Face shield is recommended.	

- Hand protection

- Other

Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColourNot available.OdourNot available.

Melting point/freezing point Boiling point or initial boiling point and boiling range -114 °C (-173,2 °F) estimated 78,4 °C (173,12 °F) estimated

Flammability Not applicable.

Flash point 13 °C (55,4 °F) estimated Auto-ignition temperature 365 °C (689 °F) estimated

Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 38,07839 hPa estimated

Density and/or relative density

Density 0,831 g/cm3 estimated

Vapour density Not available.

Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Percent volatile 89,58 % estimated
Specific gravity 0,83118 estimated
VOC 73,71 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stabilityMaterial is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eve contact Causes serious eye irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and **Symptoms**

blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity No data available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure **Aspiration hazard**

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

No data is available on the degradability of any ingredients in the mixture.

Components **Species Test Results**

Ethanol (CAS 64-17-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) 7,7 - 11,2 mg/l, 48 hours

LC50 Fish Rainbow trout, donaldson trout 42 mg/l, 4 days

(Oncorhynchus mykiss)

degradability

12.3. Bioaccumulative potential

Partition coefficient

12.2. Persistence and

n-octanol/water (log Kow)

Benzoic acid, 2-hydroxy-, hexyl ester 5,5 Benzyl salicylate 4 Cyclamen aldehyde 3.4 Ethanol -0,31Galaxolide 5,3 **Hexyl Cinnamal** 4,686 Hydroxycitronellal 1,68 Linalool 2,97

Material name: Yankee Candle Wild Orchid Reed Diffuser - 1745724E

SDS EU

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a

concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

12.8. Additional information

Estonia Dangerous substances in soil Data

Ethanol (CAS 64-17-5) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

 $local/regional/national/international\ regulations.$

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Hazard No. (ADR) 33

Tunnel restriction code D/E **14.4. Packing group**

14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol)

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN1170

14.2. UN proper shipping Ethanol solution (Ethanol)

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk 14.4. Packing group II
14.5. Environmental hazards Yes
ERG Code 3L

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

name (Ethanol), MARINE POLLUTANT

14.3. Transport hazard class(es)

Class 3
Subsidiary risk 14.4. Packing group ||
14.5. Environmental hazards
Marine pollutant Yes

EmS F-E, S-D

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: 4CSX-WS78-9Q7H-NKVN Belgium: 4CSX-WS78-9Q7H-NKVN Bulgaria: 4CSX-WS78-9Q7H-NKVN Croatia: 4CSX-WS78-9Q7H-NKVN Cyprus: 4CSX-WS78-9Q7H-NKVN

Czech Republic: 4CSX-WS78-9Q7H-NKVN Denmark: 4CSX-WS78-9Q7H-NKVN Estonia: 4CSX-WS78-9Q7H-NKVN EU: 4CSX-WS78-9Q7H-NKVN Finland: 4CSX-WS78-9Q7H-NKVN France: 4CSX-WS78-9Q7H-NKVN Germany: 4CSX-WS78-9Q7H-NKVN Great Britain: 4CSX-WS78-9Q7H-NKVN Greece: 4CSX-WS78-9Q7H-NKVN Hungary: 4CSX-WS78-9Q7H-NKVN Iceland: 4CSX-WS78-9Q7H-NKVN Ireland: 4CSX-WS78-9Q7H-NKVN Italy: 4CSX-WS78-9Q7H-NKVN Latvia: 4CSX-WS78-9Q7H-NKVN Lithuania: 4CSX-WS78-9Q7H-NKVN Luxembourg: 4CSX-WS78-9Q7H-NKVN Malta: 4CSX-WS78-9Q7H-NKVN Netherlands: 4CSX-WS78-9Q7H-NKVN

Norway: 4CSX-WS78-9Q7H-NKVN Poland: 4CSX-WS78-9Q7H-NKVN Portugal: 4CSX-WS78-9Q7H-NKVN Romania: 4CSX-WS78-9Q7H-NKVN Slovakia: 4CSX-WS78-9Q7H-NKVN Slovenia: 4CSX-WS78-9Q7H-NKVN Spain: 4CSX-WS78-9Q7H-NKVN Sweden: 4CSX-WS78-9Q7H-NKVN

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Ethanol (CAS 64-17-5) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ethanol (CAS 64-17-5) Galaxolide (CAS 1222-05-5) Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Product and Company Identification

SECTION 2: Hazards identification: Prevention SECTION 2: Hazards identification: Response SECTION 2: Hazards identification: Storage

SECTION 2: Hazards identification: 2,3. Other hazards

SECTION 6: Accidental release measures: 6,3. Methods and material for containment and

cleaning up

SECTION 6: Accidental release measures: For non-emergency personnel

SECTION 7: Handling and storage: 7,2. Conditions for safe storage, including any incompatibilities

SECTION 7: Handling and storage: 7,3. Specific end use(s)

SECTION 11: Toxicological information: Endocrine disrupting properties SECTION 12: Ecological information: 12,6. Endocrine disrupting properties

SECTION 12: Ecological information: 12,7. Other adverse effects

SECTION 16: Other information: References

SECTION 16: Other information: List of abbreviations Follow training instructions when handling this material.

Training information

Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.